



## RES B50 / B75 BUMP STOPS

	Travel from static					Solid Height					
	Static	250	500	1000	1500	2000	250	500	1000	1500	2000
B50	0.500	0.080	0.129	0.246	0.278	0.297	0.420	0.371	0.254	0.222	0.203
2 B50 0°	1.125	0.107	0.218	0.381	0.452	0.501	1.018	0.907	0.744	0.673	0.624
2 B50 5°	1.185	0.141	0.268	0.438	0.501	0.535	1.044	0.917	0.747	0.684	0.650
2 B50 10°	1.246	0.171	0.304	0.461	0.516	0.551	1.075	0.942	0.785	0.730	0.695
2 B50 15°	1.308	0.198	0.329	0.484	0.543	0.577	1.110	0.979	0.824	0.765	0.731
3 B50 0°	1.750	0.138	0.297	0.542	0.653	0.717	1.612	1.453	1.208	1.097	1.033
3 B50 5°	1.870	0.187	0.350	0.610	0.713	0.767	1.683	1.520	1.260	1.157	1.103
3 B50 10°	1.992	0.262	0.451	0.688	0.776	0.826	1.730	1.541	1.304	1.216	1.166
3 B50 15°	2.116	0.309	0.478	0.711	0.808	0.864	1.807	1.638	1.405	1.308	1.252
4 B50 0°	2.375	0.167	0.365	0.697	0.850	0.932	2.208	2.010	1.678	1.525	1.443
4 B50 5°	2.555	0.241	0.462	0.802	0.938	1.008	2.314	2.093	1.753	1.617	1.547
4 B50 10°	2.738	0.330	0.539	0.878	1.012	1.081	2.408	2.199	1.860	1.726	1.657
4 B50 15°	2.924	0.424	0.645	0.950	1.082	1.156	2.500	2.279	1.974	1.842	1.768
5 B50 0°	3.000	0.229	0.483	0.971	1.230	1.355	2.771	2.517	2.029	1.770	1.645
5 B50 5°	3.240	0.284	0.537	0.972	1.150	1.237	2.956	2.703	2.268	2.090	2.003
5 B50 10°	3.484	0.389	0.609	1.033	1.221	1.314	3.095	2.875	2.451	2.263	2.170
5 B50 15°	3.732	0.523	0.771	1.155	1.329	1.423	3.209	2.961	2.577	2.403	2.309
B75	0.750	0.088	0.186	0.321	0.365	0.394	0.662	0.564	0.429	0.385	0.356
2 B75 0°	1.625	0.137	0.303	0.559	0.660	0.718	1.488	1.322	1.066	0.965	0.907
2 B75 5°	1.685	0.170	0.358	0.616	0.706	0.753	1.515	1.327	1.069	0.979	0.932
2 B75 10°	1.746	0.204	0.393	0.640	0.728	0.775	1.542	1.353	1.106	1.018	0.971
2 B75 15°	1.808	0.236	0.428	0.671	0.760	0.807	1.572	1.380	1.137	1.048	1.001
3 B75 0°	2.500	0.185	0.417	0.804	0.958	1.041	2.315	2.083	1.696	1.542	1.459
3 B75 5°	2.620	0.210	0.431	0.851	1.009	1.087	2.410	2.189	1.769	1.611	1.533
3 B75 10°	2.742	0.294	0.553	0.931	1.069	1.138	2.448	2.189	1.811	1.673	1.604
3 B75 15°	2.866	0.362	0.625	0.988	1.125	1.197	2.504	2.241	1.878	1.741	1.669
4 B75 0°	3.375	0.224	0.468	1.026	1.257	1.366	3.151	2.907	2.349	2.118	2.009
4 B75 5°	3.555	0.289	0.561	1.083	1.304	1.412	3.266	2.994	2.472	2.251	2.143
4 B75 10°	3.738	0.393	0.638	1.178	1.392	1.494	3.345	3.100	2.560	2.346	2.244
4 B75 15°	3.924	0.497	0.748	1.249	1.465	1.570	3.427	3.176	2.675	2.459	2.354